



SAFETY DATA SHEET

Page : 2 / 5

Revised edition no : 0

Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Carbon dioxide (refrigerated)

SDS_018R_CLP

SECTION 3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

* 1: Listed in Annex IV / V REACH, exempted from registration.

* 2: Registration deadline not expired.

Full text of R-phrases see section 16.

SECTION 4. First aid measures

First aid measures

- **Inhalation** : In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/ consciousness. Victim may not be aware of asphyxiation.
Low concentrations of CO₂ cause increased respiration and headache.
Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
- **Skin/eye contact** : Immediately flush eyes thoroughly with water for at least 15 minutes.
In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain medical assistance.
- **Ingestion** : Ingestion is not considered a potential route of exposure.

SECTION 5. Firefighting measures

Extinguishing media

- **Suitable extinguishing media** : All known extinguishants can be used.
- Specific hazards** : Exposure to fire may cause containers to rupture/explode.
- Hazardous combustion products** : None.
- Specific methods** : If possible, stop flow of product.
Move away from the container and cool with water from a protected position.
If leaking do not spray water onto container. Water surrounding area (from protected position) to contain fire.
- Special protective equipment for fire fighters** : In confined space use self-contained breathing apparatus.

SECTION 6. Accidental release measures

- Personal precautions** : Evacuate area.
Use protective clothing.
Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
Ensure adequate air ventilation.
- : Try to stop release.
Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
- Clean up methods** : Ventilate area.



an AIR LIQUIDE Group Company

SAFETY DATA SHEET

Page : 3 / 5

Revised edition no : 0

Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Carbon dioxide (refrigerated)

SDS_018R_CLP

SECTION 7. Handling and storage

- General** : Containers, which contain or have contained flammable or explosive substances, must not be inerted with liquid carbon dioxide. Potential production of solid CO₂ particles must be ruled out. In order to rule out potential electrostatic discharge production, the system must be adequately grounded.
- Handling** : Suck back of water into the container must be prevented.
Do not allow backfeed into the container.
Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.
Refer to supplier's container handling instructions.
- Storage** : Keep container below 50°C in a well ventilated place.

SECTION 8. Exposure controls/personal protection

8.2. Exposure controls

- Personal protection** : Ensure adequate ventilation.
Protect eyes, face and skin from liquid splashes.

SECTION 9. Physical and chemical properties

- Physical state at 20°C / 101.3kPa** : Gas.
- Colour** : Colourless.
- Odour** : No odour warning properties.
- Melting point [°C]** : -56.6
- Boiling point [°C]** : -78.5 (s)
- Critical temperature [°C]** : 30
- Flammability range [vol% in air]** : Non flammable.
- Vapour pressure [20°C]** : 57.3 bar
- Relative density, gas (air=1)** : 1.52
- Relative density, liquid (water=1)** : 1.03
- Solubility in water [mg/l]** : 2000
- Other data** : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.
- Molecular weight** : 44

SECTION 10. Stability and reactivity

- : None.
- : Stable under normal conditions.

SECTION 11. Toxicological information

- Toxicity information** : In high concentrations cause rapid circulatory insufficiency. Symptoms are headache, nausea and vomiting, which may lead to unconsciousness.

Liquid Carbon dioxide (refrigerated)

SDS_018R_CLP

SECTION 12. Ecological information

Ecological effects information : When discharged in large quantities may contribute to the greenhouse effect.
Can cause frost damage to vegetation.

Global warming potential [CO2=1] : 1

SECTION 13. Disposal considerations

General : Do not discharge into any place where its accumulation could be dangerous.
Discharge to atmosphere in large quantities should be avoided.
Contact supplier if guidance is required.

SECTION 14. Transport information

UN number : 2187

Labelling ADR, IMDG, IATA



: 2.2 : Non-flammable, non-toxic gases

Land transport (ADR/RID)

H.I. nr : 22

UN proper shipping name : CARBON DIOXIDE, REFRIGERATED LIQUID

Transport hazard class(es) : 2

Classification code : 3 A

Packing group : P203

Packing Instruction(s) : P203

Tunnel Restriction : C/E Tank carriage: Passage forbidden through tunnels of category C, D and E; Other carriage:
Passage forbidden through tunnels of category E

Sea transport (IMDG)

Proper shipping name : CARBON DIOXIDE, REFRIGERATED LIQUID

Class : 2.2

Emergency Schedule (EmS) - Fire : F-C

Emergency Schedule (EmS) - Spillage : S-V

Packing instruction : P203

Air transport (ICAO-TI / IATA-DGR)

Proper shipping name (IATA) : CARBON DIOXIDE, REFRIGERATED LIQUID

Class : 2.2

Passenger and Cargo Aircraft : Allowed.

Packing instruction - Passenger and Cargo Aircraft : 202

Cargo Aircraft only : Allowed.

Packing instruction - Cargo Aircraft only : 202

ADR/RID

- IMO-IMDG code

- ICAO/IATA

Other transport information : Avoid transport on vehicles where the load space is not separated from the driver's compartment.
Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.



SAFETY DATA SHEET

Page : 5 / 5

Revised edition no : 0

Date : 26 / 08 / 2014

Supersedes : 0 / 0 / 0

Liquid Carbon dioxide (refrigerated)

SDS_018R_CLP

SECTION 14. Transport information (continued)

Before transporting product containers:

- Ensure that containers are firmly secured.
- Ensure cylinder valve is closed and not leaking.
- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
- Ensure valve protection device (where provided) is correctly fitted.
- Ensure there is adequate ventilation.
- Compliance with applicable regulations.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso directive 96/82/EC : Not covered.

SECTION 16. Other information

- Training advice** : Asphyxiant in high concentrations.
May cause frostbite.
Keep container in a well-ventilated place.
Do not breathe the gas.
The hazard of asphyxiation is often overlooked and must be stressed during operator training.
- Note** : This Safety Data Sheet has been established in accordance with the applicable European Union legislation.
- DISCLAIMER OF LIABILITY** : Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.
Details given in this document are believed to be correct at the time of going to press. Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

End of document